

ICF Consulting / Laboratory Data Consultants

Environmental Services Assistance Team, Region 9 1337 South 46th Street, Building 201, Richmond, CA 94804-4698

Phone: (510) 412-2300 Fax: (510) 412-2304

SFUND RECORDS CTR 88072797

MEMORANDUM

TO:

Nancy Riveland-Har

Remedial Project Manager Cleanup Section 4, SFD-7-4

THROUGH:

Rose Fong

ESAT Project Officer

Quality Assurance (QA) Office, PMD-3

FROM:

Doug Lindelof

Data Review and OA Document Review Task Manager Environmental Services Assistance Team (ESAT)

ESAT Contract No.: 68-W-01-028

Task Order No.: B01

Technical Direction No.: B0105086 Amendment 1

DATE:

April 17, 2002

SUBJECT:

Review of Analytical Data, Tier 3

Attached are comments resulting from ESAT Region 9 review of the following analytical data:

SITE:

Omega Chem OU-2

SITE ACCOUNT NO.:

09 BČ LA02

CERCLIS ID NO.:

CAD042245001 11-BCCO-15.0

CASE NO.:

SDG NO.: LABORATORY: 01K004 EMAX Laboratories, Inc. (EMAX)

ANALYSIS:

Volatiles

SAMPLES:

4 Water Samples

COLLECTION DATE:

October 31, 2001

REVIEWER:

Denise McCaffrey, ESAT/LDC

The comments and qualifications presented in this report have been reviewed by the EPA Task Order Project Officer (TOPO) for the ESAT Contract, whose signature appears above.

If there are any questions, please contact Rose Fong (QA Program/EPA) at (415) 972-3812.

Attachment

cc:

ESAT File

SAMPLING ISSUES: [X] Yes

[] No

Data Validation Report

Case No.:

11-BCCO-15.0 SDG No.: 01K004

Site:

Omega Chem OU-2

Laboratory:

EMAX Laboratories, Inc.

Reviewer:

Denise McCaffrey, ESAT/LDC

Date:

April 17, 2002

I. <u>Case Summary</u>

SAMPLE INFORMATION:

Samples: GW401-PP073-0087, GW401-PP074-0072,

GW401-PP075-0048, and GW401-PP075-2005

Concentration and Matrix:

Low Level Water

Analysis: Volatiles

SOW: SW-846 Method 8260B

Collection Date:

October 31, 2001

Sample Receipt Date:

November 1, 2001

Extraction Date:

Not Applicable

Analysis Date:

November 1, 2001

FIELD QC:

Trip Blanks (TB): GW401-PP075-2005

Field Blanks (FB):

Not Provided

Equipment Blanks (EB):

Not Provided

Background Samples (BG):

Not Provided

Field Duplicates (D1):

Not Provided

METHOD BLANKS AND ASSOCIATED SAMPLES:

MBLK1W: GW401-

GW401-PP073-0087, GW401-PP073-0087DL.

GW401-PP074-0072, GE401-PP074-0072DL

GW401-PP075-0048, and GW401-PP075-2005

TABLES:

1A: Analytical Results with Qualifications

1B: Data Qualifier Definitions for Organic Data Review

SAMPLING ISSUES:

Detected results for chloroform are qualified as nondetected and estimated (U,J) due to contamination in trip blank GW401-PP075-2005.

Matrix spike/matrix spike duplicate (MS/MSD) analysis was not performed because no MS/MSD sample was designated in this sample delivery group (SDG).

DL - Dilution

ADDITIONAL COMMENTS:

Dichlorofluoromethane was not analyzed. This compound is included in the REAP DQI Table.

The REAP DQI Table specified that four surrogate spikes (Toluene-d8, BFB, 1,2-dichloroethane-d4, and dibromofluoromethane) are required. Only three surrogate spikes (Toluene-d8, BFB, and 1,2-dichloroethane-d4) were used by the laboratory. The accuracy of the analytes were assessed based on the same grouping of surrogates and internal standards used by the laboratory.

This report was prepared in accordance with the following documents:

- ESAT Region 9 Data Quality Indicator (DQI) Table for *Volatile Organic Compounds (VOCs)* by SW-846 Method 8260, Appendix B, Attachment 2, Section J, Contract No. 68-R9-00-11, Regional Environmental Analytical Procurement (REAP);
- EPA SW-846 Method 8260B, Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS), Revision 2, December 1996;
- ESAT Region 9 Standard Operating Procedure 901, Guidelines for Data Review of Contract Laboratory Program Analytical Services (CLPAS) Volatile and Semivolatile Data Packages;
 and

Acceptable/Comment

• USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review, October 1999.

II. Validation Summary

HOLDING TIMES	YES	
GC/MS TUNE/GC PERFORMANCE	YES	
INITIAL CALIBRATIONS	YES	
CONTINUING CALIBRATIONS	NO	С
LABORATORY BLANKS	YES	
FIELD BLANKS	NO	В
SURROGATES	NO	D
LABORATORY CONTROL SAMPLE/DUPLICATE	YES	
INTERNAL STANDARDS	YES	
COMPOUND IDENTIFICATION	YES	
COMPOUND QUANTITATION	YES	A, E; F
SYSTEM PERFORMANCE	YES	, ,
FIELD DUPLICATE SAMPLE ANALYSIS	YES	
•		

N/A = Not Applicable

III. Validity and Comments

- A. The following results, denoted with an "L" qualifier, are estimated and flagged "J" in Table 1A.
 - All results below the contract required quantitation limits

Results below the contract required quantitation limits (CRQLs) are considered to be qualitatively acceptable, but quantitatively unreliable, due to the uncertainty in analytical precision near the limit of detection.

- B. The following results are qualified as nondetected and estimated due to trip blank contamination, and are flagged "U,J" in Table 1A.
 - Chloroform in samples GW401-PP073-0087, GW401-PP074-0072, and GW401-PP075-0048

Chloroform was found in trip blank GW401-PP075-2005 at a concentration of 0.65 μ g/L. Results for the samples listed above are considered nondetected and estimated (U,J) and the quantitation limits have been increased according to the blank qualification rules presented below.

No positive results are reported unless the concentration of the compound in the sample exceeds 10 times the amount in any associated blank for the common laboratory contaminants or 5 times the amount for other compounds. If the sample result is greater than the CRQL, the quantitation limit is raised to the sample result (U,J). If the sample result is less than the CRQL, the result is reported as nondetected (U,J) at the CRQL.

A trip blank is laboratory reagent water which is shipped from the laboratory to the field with the empty sample containers and back to the laboratory with the filled sample containers. A trip blank is intended to detect contaminants introduced during the transport of the samples to the laboratory, although any laboratory introduced contamination will be present. Contaminants that are found in the trip blank which are absent in the laboratory blank could be indicative of a problem in transportation, storage, the bottle preparation procedure, or other indeterminate error.

- C. Detected results and quantitation limits for the following analytes are qualified as estimated due to large percent differences (%Ds) in the continuing calibration, and are flagged "J" in Table 1A.
 - Acetone and hexachlorobutadiene in all samples and the method blank

%Ds of 49.0% (biased high) and 32.8% (biased low) were observed for acetone and hexachlorobutadiene, respectively, in the continuing calibration performed on November 1, 2001. These values exceed the $\pm 30.0\%$ validation criterion.

The continuing calibration checks the instrument's performance daily.

D. Detected results and quantitation limits for the following analytes are qualified as estimated due to surrogate recovery outside QC limits, and are flagged "J" in Table 1A.

{1,2-Dichloroethane-d4}

- Freon 113 in samples GW401-PP0073-0087 and GW401-PP074-0072
- 1,1-Dichloroethane, 1,1-dichloroethene, cis-1,2-dichloroethene, trans-1,2-dichloroethene, trichlorofluoromethane, and methyl t-butyl ether in sample GW401-PP074-0072

Surrogate recoveries exceeded the QC limits are shown below for the samples listed above.

<u>Sample</u>	<u>Surrogate</u>	%Recovery	QC Limits
GW401-PP073-0087DL	1,2-Dichloroethane-d4	116	85-115
GW401-PP074-0072	1,2-Dichloroethane-d4	117	85-115

Detected results for affected analytes may be biased high. The samples were not re-analyzed.

Surrogates are organic compounds which are similar to the target analytes in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples. All samples are spiked with surrogates prior to purging. Surrogates provide information about both the laboratory performance on individual samples and the possible effects of the sample matrix on the analytical results.

- E. Sample GW401-PP073-0087 was analyzed at a 50-fold dilution due to the high levels of target analytes. The CRQLs listed for this sample in Table 1A have been multiplied by the dilution factor.
- F. Sample GW401-PP073-0087 was analyzed at a further dilution of 100-fold due to the high level of freon 113. The result for freon 113 is reported from the 100-fold diluted sample in Table 1A; results for all other analytes are reported from the original analysis, performed at a 50-fold dilution.

Sample GW401-PP074-0072 was analyzed at a 25-fold dilution due to the high level of trichloroethene. The result for trichloroethene is reported from the diluted sample in Table 1A; results for all other analytes are reported from the undiluted sample.

ANALYTICAL RESULTS

Case No.: 11-BCCO-15.0

SDG No.: 01K004

Tier 3 Table 1A

Site: Omega Chem OU-2

Lab: EMAX

trans-1,2-Dichloroethene

Reviewer: Denise McCaffrey, ESAT/LDC

50U

0.3L

Date: April 17, 2002

QUALIFIED DATA
Concentration in ug/L

Analysis Type: Water Samples for Volatiles by

10

EPA Method 8260B

Station Description: Method Blank GW401-PP073-0087 Sample ID GW401-PP074-0072 GW401-PP075-0048 GW401-PP075-2005 TB MBLK1W CRQL Collection Date 10/31/01 10/31/01 10/31/01 10/31/01 Dilution Factor: Volatile Compound Result Val Val Com Result Com Val Com Result Val Com Result Val Com Result Com Result Val Com Result 1,1-Dichloroethane 50U Ε 8.6 J D 1Ú 1U * 1-Dichloroethene 740 ψE 37 Ď 0.4L 10 .1U 1,1-Dichloropropene 50U Ε 10 1U 1U 1U 19 1,2,3-Trichloropropane 50U Ε ₂1U 10 1U 1,2,4-Trimethylbenzene 50U Ε 10 1U 1U 1U Ē 2 ŽÚ 100U 1,2-Dibromo-3-chloropropane ે 2U 2U **2**U 37.1 50U Ε 1,2-Dichlorobenzene 1U 1U 10 Ě 1.8 1,2-Dichloroethane 25U 0.5U _____ 0.5U 0.5U 0.22L ∴ A 0.5 1000 50U Е 1,2-Dichloropropane 1U 1U 1U 1U (A000000) .50U 1Ü. 2-Dibromoethane E≫ au. 32 1Ű 50U Ε 1,3,5-Trimethylbenzene 1U 1U 1U 1U ΊU 50U 480... É 1U 3-Dichlorobenzene 1U :10 3-Dichloropropane, Е 50U 10 1U 10 1U 10 1U ,4-Dichlorobenzene 50U E. 10 _1U E 2,2-Dichloropropane 50U 1U 1U 1U 1U Εν 7 2-Chlorotoluene 50U 10 1U -.1U 10 50U Ε 1U 1U 1U 10 Benzene Bromobenzerie ∖50∪ Ė 1∪ 1U 1Ü .1U <u>گ</u>ور . . 50U Е Bromochloromethane 1U 1U 1U 1υ .∕1U 1 W. Bromodichloromethane Ε 10 ŽΩ, 50U **10** 1U Bromoform 50U Ε 1U 1U 10 10 Bromomethane 50U Ε 10 1U "1U Carbon Tetrachloride 25U Ε 0.5U 0.5U 0.5U 0.5U 0.5 ****1) 10 Ē 1Ů ΪŮ Chlorobenzene 50∪ 1Ú Chloroethane 50U Ε 1U 1U 1U 50U BE 1U ×в iu Chloroform J В 1.2U 0.65L J 50U Ε Chloromethane 10 1U 1U 1U cis-1.2-Dichloroethene 50U Έ <u>⊮</u>.19 D .10 1U 1U § 1 S. Ź9. Àw. E Dibromomethane 50U 1U 1U 1U 10 Dichlorodifluoromethane 50U Ε 1U 1U 10 10 E 50U 1U m/p-Xylenes 1U 1U 1U 10 10 n-Butylbenzene 50U įίυ .1U 50U E 1U 1U 1U 1U 1U 1U 50U Ε 1U sec-Butylbenzene 1U 50U Ε 1U 1U 1U 10 tert-Butylbenzene

Case No.: 11-BCCO-15.0

SDG No.: 01K004

Tier 3 Table 1A

Site: Omega Chem OU-2

Lab: EMAX

Reviewer: Denise McCaffrey, ESAT/LDC

Date: April 17, 2002

QUALIFIED DATA

Analysis Type: Water Samples for Volatiles by

Concentration in ug/L

EPA Method 8260B

Station Description :												Method Blank					\neg				
•	GW401-PP07	3-0087		GW401-PP074-0072			GW401-PP075-0048			GW401-PP075-2005 TB			MBLK1W			CRQL					
Collection Date :	10/31/01					10/31/01	- · · · · · · · · · · · · · · · · · · ·		10/31/01						0.142						
Dilution Factor :	50			 1		1			1												
Volatile Compound	Result	Val	Com	Result	Val	Com	Result	Val	Com	Result	Val	Com	Result	Val	Com	Result	Val	Com	Result	Val	Com
Trichlorofluoromethane	600		E	4.9	J	D	1U			1U			10			1					
Vinyl Chloride	100U		ξE	₂ 2Ú			1U 2Ú		Maria	2U.			2U	×	50 1894	2		. Se	1 100		1000
Acetone	500∪	J	CE	10U	J	С	10U	J	С	10U	J	С	10U	J	С	10					
2-Butanone	,500 <u>U</u>		E	10U	1	2.1	100	da - alastina	villation	100			100		e-Militain.m	10		324		<u> </u>	
Carbon Disulfide	50U		E	10			1U			1U			1U			1			ge water in this a		
Toluene	§ 50U		E	íυ	Table In	. 3	1U	1		1U			10		A - ' - '		hint of the				
Trichloroethene	250	25. 3	E .	46	l I	F	2			10			10	*****		1		AND THE PARTY NA. 1	Name and the same of the same		**************************************
Chlorodibromomethane	50U	×	E,	<u> 10</u>	W. S.	Sandanian .	្តី ផ្លែប	學影	5 - 84 2 - 1887	1U [©]	100	£ 2	SE 10	-å-	100 0	1					
4-Chlorotoluene	50U		F	1U	* ****	A.W	1U			1U	The Million	· · · · · · · · ·	1U	1 78.81		1	42		***************************************	**************************************	· · · · · · · · · · · · · · · · · · ·
Tetrachloroethene	420	S. A.	*• E	35	Mar desi	1984 - No.	5.5	30.00	***> :	10)	x 2 4		1U*			- The results	All was	· ·	- 1 1 mi		· · · · · · · · · · · · · · · · · · ·
Freon 113	2200	J	DEF	11	J	.D	1U	· · · · · · · · · · · · · · · · · · ·		1U		· Samusandi	1U		Alternative services	1		- 1700000			
Ethylbenzene		A.7	E	. 10			10		rome sinso	10	there are no		_1U_			1			·, · · · · · · · · · · · · · · · · · ·		
Hexachlorobutadiene	50U	. J	CE	1U	J	C	10	j	C _	1U	J	C	1U	J	, C	1	#6/2 *****	CONTRACTOR TO SERVICE OF THE SERVICE			
Isopropylbenzene	. 50U		E	1U	الاعتا		. 1 <u>U</u> .			1U			1U		Acid	4				311111	Y.
p-Isopropyltoluene	50U	888 T 2 T 4	€	1 <u>U</u>		ye,	1U			1U	~****	-265	1U	7 11 to \$5,500			- > <a#gg< td=""><td> - 'SC</td><td></td><td>***************************************</td><td></td></a#gg<>	- 'S C		***************************************	
Methylene Chlonde	∑ 50U		E	10			* 10		izak	1U		<u> </u>	1U_:		ZY	1		80 . 35			and the same of th
Naphthalene	50U	9955	E	10		·	1U		****	10	··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	-	1U		**************************************	1	·· ···································		*****		80.4 m/m/m
n-Propylbenzene	50U*	·	E	<u>\$</u> 1∪		uoxx	1⊍	with wall	4.4408	ĵU			10			1					1 27
Styrene	50U	gr	E	1U			1U			1U			10_			1		·,		300	
1,1,1,2-Tetrachloroethane	50Ú.		E.23	10			, ", 1U			. 4. iu	ساخت	***	10		Ú	.1		*	Mariana and resonances	9	
1,1,2,2-Tetrachloroethane	50U		E	1U			1U	processors	ng and programme	1U			10		,	11				X. 75.	
1.2.4-Trichlorobenzene		dh	Ē	1 <u>U</u>	i		_1U	in Alberta		10			<u>10</u>	AL		1					. ini
1,2,3-Trichlorobenzene	50U		Ε,	10					. ,0	10	72%, 7 20022	aine abéaid	1U	1 950	:5nen	3,004	ng Sampaga				z= :
1;1,1-Trichloroethane	50U.		,∴E. ´	0.91L	گ لُاحٍ.	Α.	1U	. 45	iĝą.	1U	23		10	ar. [8]	ř.	1		·	222	Ll	% M
1,1,2-Trichloroethane	50U	11	E v				1 U	. ,	:	10	. !	4	1U			1	!	,	1 1 2 1 1 1 1 1 1 1 1 1	77 T &	
Methyl t-Butyl Ether	50U		E	7 7 1.5	J,	D	🐫 🚉 📜 10			.∜ 1∪		· ۸۸	1U		الا شر. الا كان	. 🦣 (1	!!	ger ismr -ix	1 1. 12	M	" .
Dichlorofluoromethane	NA 🐧		19 50	NA			NA		. 5 - 9864. . 18	NA		87	NA		Mi.	NA		J. M.		\$	· · · · · · · · · · · · · · · · · · ·

Val - Validity. Refer to Data Qualifiers in Table 1B.

Com - Comments. Refer to the Corresponding Section in the Narrative for each letter.

CRQL - Contract Required Quantitation Llmit, N/A - Not Applicable, NA - Not Analyzed

D1, D2, etc. - Field Duplicate Pairs

FB - Field Blank, EB - Equipment Blank, TB - Trip Blank, BG - Background Sample

TABLE 1B

DATA QUALIFIER DEFINITIONS FOR ORGANIC DATA REVIEW

The definitions of the following qualifiers are prepared according to the document, "USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review," February 1994.

- U The analyte was analyzed for but was not detected above the reported sample quantitation limit.
- L Indicates results which fall below the Contract Required Quantitation Limit. Results are estimated and are considered qualitatively acceptable but quantitatively unreliable due to uncertainties in the analytical precision near the limit of detection.
- J The analyte was positively identified; the associated numerical value is the approximate concentration of the analyte in the sample.
- NJ The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.
- UJ The analyte was not detected above the reported sample quantitation limit. However, the reported quantitation limit is approximate and may or may not represent the actual limit of quantitation necessary to accurately and precisely measure the analyte in the sample.
- R The sample results are rejected due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.